





CLEAN BOOTH BAIP-203





CLEAN BOOTH BAIP-203

Clean booth is used as air purifier and it limits the contamination due to pollutants , thus providing partial high clean environment

Used in Pharmaceutical, Experimental drugs, Processing formula, electronics, medicine, food, precision instruments, biochemical and chemical industries..

Also known as Down Flow booth.

BAIP-203 CLEAN BOOTH



Customized design available

It can be used singly or combined

Compared with civil type and fabricated type clean room of hundred clean level, it has low running cost and fast effect and can be easily installed

Modular construction, easy to increase clean level, good expansion and reusable, convenient movement (Universal wheel can be installed)

SPECIFICATIONS

| Model | BAIP-203 |
|---------------------------|--|
| Clean Level | ISO 5(Class100),Class A |
| HEPA Filter | 99.999% efficiency at 0.3pm |
| FFU Nos. | 12 pcs |
| Control System | Microprocessor control system |
| Rectangular Tube Material | Aluminium alloy |
| Wall Material | Anti-static dustproof curtain |
| Blower | Built-in centrifugal blower,speed adjustable |
| UV Lamp | 40Wx3 Emission of 253.7 nanometers with UV timer |
| Illumination Lamp | 16Wx3 LED Lamp, Illumination: 2:500lux |
| Air Velocity | 0.1-0.6m/s,average 0.45m/s |
| Internal Size (WxDxH) | 3880x2880x2095 mm |
| External Size (WxDxH) | 4000x3000x2530 mm |
| Package Size (WxDxH) | 3080x980x1280 mmx2, 4080x660x550 mm |
| Consumption | 2800 W |
| Gross Weight | 1100 kg |
| Net Weight | 1020 kg |
| Noise | ≤75 dB |
| Power Supply | AC220V±10%, 60Hz/50Hz;110V±10%, 60Hz |

www.biolabscientific.com

2



Biolab Scientific Ltd.

3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada Email: contact@biolabscientific.com | Website: www.biolabscientific.com