



## BLOOD BANK REFRIGERATED CENTRIFUGE BBRC-205

## BLOOD BANK REFRIGERATED CENTRIFUGE BBRC-205

Engineered to maximize productivity and reliably deliver a wide range of low speed separations. Stainless steel interiors, integrated refrigeration system and advanced temperature controls make it flexible for your evolving applications. Safety features and low noise operation make it an ideal partner for your day to day separations. Used in Cell Separation, Precipitation, Sample Processing, Clinical, Cell Culture, Microplate Processing, Biochemistry, medical diagnosis.

Also known as Floor Standing Centrifuge, Laboratory Floor Type Centrifuge, Floor Type Refrigerated Centrifuge, Benchtop Centrifuge, Laboratory Tabletop Centrifuge.

## BBRC-205 BLOOD BANK REFRIGERATED CENTRIFUGE



Brushless DC frequency motor with simpler construction, more reliable performance, longer life and quietly running.

Flexible axle driven system which drive the rotor directly, smooth in operation, low noise.

Imported compressors, fluorine-free, double cycle cooling, cold and hot alternating easily, environment pollution-free and precise in temperature control.

Microprocessor control, digital display in the speed, time, RCF in operation, speed rising and reducing quick, operate simply.

10 sets of program stored in the memory, 10 kinds of accelerating and decelerating.

Automatically electric lid lock, super speed, over temperature protection and imbalance protection. The centrifuge body is made of high quality steel, safe and reliable.

Three layer protection of steel structure, safe and reliable.

## SPECIFICATIONS

Model	BBRC-205
Maximum Capacity (No of tubes x Vol.)	6x2400 ml (12 blood bags)
Temperature Range	-20~40°C
Temperature Accuracy	±1°C
Maximum Speed	7000 rpm
Speed Accuracy	±20rpm
Maximum RCF	11900xg
Time Range	1~9 h 59 min
Overall Dimension	940Hx890Dx1000W mm
Noise Level	≤ 60 dB(A)
Net. Weight	560 kg
Power Supply	AC 380V 50Hz 35A
Package	Wooden box

## OPTIONAL ACCESSORIES

Accessory Code	Name	Description	RPM	RCF <sub>xg</sub>
2300707007	Swing Rotor	6x2400ml (12 bags)	4000	5530xg
2300707006	Angle Rotor	6x1000ml	7000	11900xg



**Biolab Scientific Ltd.**

3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada  
Email: [contact@biolabscientific.com](mailto:contact@biolabscientific.com) | Website: [www.biolabscientific.com](http://www.biolabscientific.com)