



## BENCHTOP HIGH SPEED CENTRIFUGE BCBH-203

## BENCHTOP HIGH SPEED CENTRIFUGE BCBH-203

Designed around your applications to provide you competent sample processing and reliable results. Microcomputer programmable with excellent temperature controls and low noise operation maximize your productivity. Highly efficient with low maintenance requirements, it is an ideal separation tool for multiple research applications.

Used in Cell Separation, Precipitation, Sample Processing, Clinical, Cell Culture, Microplate Processing, Biochemistry, medical diagnosis.

Also known as Floor Standing Centrifuge, Laboratory Floor Type Centrifuge, Benchtop Centrifuge, Non Refrigerated High Speed Centrifuge, Laboratory Tabletop Centrifuge.

## BCBH-203 BENCHTOP HIGH SPEED CENTRIFUGE



Brushless DC frequency motor with simpler construction, more reliable performance, longer life and quietly running

Automatically electric lid lock, super speed, over temperature protection and imbalance protection

The centrifuge body is made of high quality steel, safe and reliable

Rotor is connected to spindle by specialized taper sleeve, loading simple and quick, no direction, safe and reliable

Microprocessor control, TD5A with digital display and TD5C with LCD display which indicate the speed, time, RCF in operation, speed raising and reducing quick, operate simply

10 kinds of program stored in the memory, 10 kinds of accelerating and decelerating speed for your choice

Three layers protection of steel structure and get the ideal centrifugation result

## SPECIFICATIONS

Model	BCBH-203
Maximum Capacity (No of tubes x Vol.)	6x100 ml
Maximum Speed	16000 rpm
Speed Accuracy	±20 rpm
Maximum RCF	20600xg
Time Range	1~99 min
Overall Dimension	513x370x320 mm
Noise Level	<60 dB(A)
Net. Weight	42 kg
Power Supply	AC 220V 50HZ 10A
Package	carton box

## OPTIONAL ACCESSORIES

Accessory Code	Name	Description	RPM	RCF <sub>xg</sub>
2300908006	Angle rotor	12x1.5/2 ml	16000	16270xg
2300908007	Angle rotor	40x0.5 ml	14000	19970xg
2300908008	Angle rotor	24x1.5/2 ml	15000	20600xg
2300908009	Angle rotor	30x1.5/2 ml	13500	19340xg
2300908010	Angle rotor	16x5 ml	15000	19350xg
2300908011	Angle rotor	12x7 ml	14000	16370xg

2300908012	Angle rotor	12x15 ml	10000	11840xg
2300908013	Angle rotor	12x10 ml	12000	14510xg
2300908014	Angle rotor	8x20 ml	12000	14510xg
2300908015	Angle rotor	6x30 ml	12000	14000xg
2300908016	Angle rotor	6x50 ml	10000	11140xg
2300908017	Angle rotor	6x70 ml	10000	10810xg
2300908018	Angle rotor	4x100 ml	12000	14850xg
2300908019	Angle rotor	6x100 ml	8000	7280xg
2300908020	Angle rotor	6x10 ml	14000	16460xg
2300908021	Angle rotor	30x0.5 ml	15000	18510xg
2300908022	Angle rotor	24pieces capillary vessel	12000	15800xg
2300908023	Vertical rotor	16x5ml ml	16000	16540xg
2300908024	Bucket rotor	2x3x48 well	4000	2300xg



**Biolab Scientific Ltd.**

3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada  
 Email: [contact@biolabscientific.com](mailto:contact@biolabscientific.com) | Website: [www.biolabscientific.com](http://www.biolabscientific.com)