



BENCHTOP HIGH SPEED REFRIGERATED CENTRIFUGE BCBHR-203

BENCHTOP HIGH SPEED REFRIGERATED CENTRIFUGE BCBHR-203

Engineered to maximize productivity and reliably deliver a wide range of high speed separations. Stainless steel interiors, integrated refrigeration system and advanced temperature controls make it flexible for your evolving applications. Safety features and low noise operation make it an ideal partner for your day to day separations. Used in Cell Separation, Precipitation, Sample Processing, Clinical, Cell Culture, Microplate Processing, Biochemistry, medical diagnosis.

Also known as Floor Standing Centrifuge, Laboratory Floor Type Centrifuge, Floor Type Refrigerated Centrifuge, Benchtop Centrifuge, Laboratory Tabletop Centrifuge.

BCBHR-203 BENCHTOP HIGH SPEED REFRIGERATED CENTRIFUGE



Brushless frequency motor, stable, quietly running, long life, unnecessary to maintain, quick in speed up and down

Imported compressors, fluorine-free, double cycle cooling, cold and hot alternating easily, environment pollution-free and precise in temperature control

Microprocessor control, LCD display in all parameters running

Automatically electric lid lock, super speed, over temperature protection and imbalance protection. The centrifuge body is made of high quality steel, safe and reliable

There are several kinds of rotors for your choice, adapters can be designed by experimental requirements

3 layers protection of steel structure and get the ideal centrifugation result

SPECIFICATIONS

Model	BCBHR-203
Maximum Capacity (No of tubes x Vol.)	6x100 ml
Temperature Range	-20°C to +40°C
Temperature Accuracy	±1°C
Maximum Speed	21000 rpm
Speed Increment	±20 rpm
Maximum RCF	28030xg
Time Range	1~99 h 59 min
Overall Dimension	610x570x370 mm
Noise Level	≤58 dB(A)
Net. Weight	82 kg
Power Supply	AC 220V 50HZ 15A
Package	Wooden box

OPTIONAL ACCESSORIES

Accessory Code	Name	Description	RPM	RCF _{xg}
2301213006	Angle rotor	12x1.5/2 ml	21000	28030xg
18007082301213007	Angle rotor	24x1.5 ml	17000	26460xg

2301008008	Angle rotor	16x5 ml	16000	22020xg
2301213009	Angle rotor	6x30 ml	14000	19060xg
2301213010	Angle rotor	12x10 ml	15000	22680xg
2301213011	Angle rotor	12x15 ml	10000	11840xg
2301213012	Angle rotor	6x10 ml	16000	21500xg
2301213013	Angle rotor	6x50 ml	12000	16050xg
2301213014	Angle rotor	8x20 ml	15000	22680xg
2301213015	Angle rotor	6x70 ml	12000	15570xg
2301213016	Angle rotor	6x100 ml	10000	11380xg
2301213029	Vertical rotor	16x5 ml	16000	16540xg
2301213024	Bucket rotor	2x3x48 well	4000	2300xg
2301213017	Angle rotor	40x0.5 ml	15000	22920xg
2301213018	Angle rotor	30x1.5/2 ml	13500	19340xg
2301213019	Angle rotor	12x7 ml	16000	21380xg
2301213020	Angle rotor	4x100 ml	12000	14850xg
2301213021	Angle rotor	30x0.5 ml	18000	26660xg
2301213022	Angle rotor	48x1.5/2 ml	13000	17930xg



Biolab Scientific Ltd.

3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada
 Email: contact@biolabscientific.com | Website: www.biolabscientific.com