



## BENCHTOP LOW SPEED CENTRIFUGE BCBL-306

## BENCHTOP LOW SPEED CENTRIFUGE BCBL-306

Designed around your applications to provide you competent sample processing and reliable results. Microcomputer programmable with excellent temperature controls and low noise operation maximize your productivity. Highly efficient with low maintenance requirements, it is an ideal separation tool for multiple research applications.

Used in Cell Separation, Precipitation, Sample Processing, Clinical, Cell Culture, Microplate Processing, Biochemistry, medical diagnosis.

Also known as Floor Standing Centrifuge, Laboratory Floor Type Centrifuge, Benchtop Centrifuge, Non Refrigerated High Speed Centrifuge, Laboratory Tabletop Centrifuge.

## BCBL-306 BENCHTOP LOW SPEED CENTRIFUGE



Microprocessor control, LCD display in speed, time, RCF in operation, speed raising and reducing quick, operate simply

Brushless DC frequency motor with simpler construction, more reliable performance, longer life and low noise

Electric lid lock, super speed, over temperature protection and imbalance protection

Adapters are available by experiment requirements

The centrifuge body is made of high quality steel and the centrifuge is with three layers protection of steel structure, safe and reliable

## SPECIFICATIONS

Model	BCBL-306
Maximum Capacity (No of tubes x Vol.)	4x250ml
Maximum Speed	5000 rpm
Speed Accuracy	±20 rpm
Maximum RCF	4730xg
Time Range	0~99 min
Overall Dimension	568x400x320 mm
Noise Level	<58 dB(A)
Net. Weight	35 kg
Power Supply	AC 220V 50HZ 5A
Package	Wooden box

## OPTIONAL ACCESSORIES

Accessory Code	Name	Description	Max Speed rpm	Max RCF (g)	RPM	RCF <sub>xg</sub>
2301607006	Swing out rotor	4x250 ml (round cup)	4000	2880		
2301607007	Swing out rotor	4x250 ml (square cup)	4000	2830	4000	2830xg
2301607008	Swing out rotor	4x50 ml			5000	4420xg
2301607009	Swing out rotor	4x100 ml			5000	4420xg
2301607010	Swing out rotor	8x50 ml			4000	2950xg
2301607011	Swing out rotor	16x15 ml			4000	2950xg

2301607012	Swing out rotor	24x15 ml			4000	2950xg
2301607013	Swing out rotor	48x5 ml vacuum tube			4000	2480xg
2301607014	Swing out rotor	48x7 ml vacuum tube			4000	2760xg
2301607015	Swing out rotor	40x10 ml vacuum tube			4000	2880xg
2301607016	Swing out rotor	32x10 ml vacuum tube			4000	2580xg
2301607017	Swing out rotor	32x7 ml vacuum tube adapter			4000	2580xg
2301607018	Swing out rotor	32x5 ml vacuum tube adapter			4000	2580xg
2301607019	Swing out rotor	24x10 ml vacuum tube			4000	2580xg
2301607020	Swing out rotor	24x7 ml vacuum tube adapter			4000	2580xg
2301607021	Swing out rotor	24x5 ml vacuum tube adapter			4000	2580xg
2301607022	Swing out rotor	16x10 ml vacuum tube			4000	2580xg
2301607023	Swing out rotor	16x7 ml vacuum tube adapter			4000	2580xg
2301607024	Swing out rotor	16x5 ml vacuum tube adapter			4000	2580xg
2301607025	Microplate rotor	2x3x48 well			4000	2300xg
2301607026	Microplate rotor	2x2x96 well			4000	2490xg



**Biolab Scientific Ltd.**

3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada  
 Email: [contact@biolabscientific.com](mailto:contact@biolabscientific.com) | Website: [www.biolabscientific.com](http://www.biolabscientific.com)