



BENCHTOP LOW SPEED CENTRIFUGE BCBL-307

BENCHTOP LOW SPEED CENTRIFUGE BCBL-307

Designed around your applications to provide you competent sample processing and reliable results. Microcomputer programmable with excellent temperature controls and low noise operation maximize your productivity. Highly efficient with low maintenance requirements, it is an ideal separation tool for multiple research applications.

Used in Cell Separation, Precipitation, Sample Processing, Clinical, Cell Culture, Microplate Processing, Biochemistry, medical diagnosis.

Also known as Floor Standing Centrifuge, Laboratory Floor Type Centrifuge, Benchtop Centrifuge, Non Refrigerated High Speed Centrifuge, Laboratory Tabletop Centrifuge.

BCBL-307 BENCHTOP LOW SPEED CENTRIFUGE



Brushless DC motor which is in great torque, free maintenance, no powder pollution, quick in speed up and down.

Microprocessor-controlled, digital display in speed, time, RCF in operation, speed raising and reducing quickly, operate simply.

Automatically electric lid lock, super speed, over temperature protection and imbalance protection.

3 layers protection of steel structure and get the ideal centrifugation result.

10 kinds of accelerating and decelerating speed for your choice.

Tabletop centrifuge with metal body, metal lid to ensure the safety of people and instrument

SPECIFICATIONS

Model	BCBL-307
Maximum Capacity (No of tubes x Vol.)	6x9 ml
Maximum Speed	4000 rpm
Maximum RCF	2170xg
Time Range	0-99 min 59 sec
RPM / RCF convert	Yes
Acceleration/ Deceleration	10 kinds
Control	Microcomputer
Noise Level	<55dB(A)
Weight (Net/Gross)	26 kg
Power Supply	AC 220/110 V 50/60Hz



Biolab Scientific Ltd.

3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada
Email: contact@biolabscientific.com | Website: www.biolabscientific.com