



DRY BATH INCUBATOR BDIB-111

DRY BATH INCUBATOR BDIB-111

Biolab Dry bath incubator features precise temperature control resolution in a compact design to give you reproducible results. This microprocessor controlled device offers you flexibility to accommodate a variety of interchangeable heating blocks for your versatile applications.

Used in Pharmaceutical, Chemical, Food Safety, Environment, Quality inspection, Laboratory.

Also known as Laboratory Dual Temperature Dry Bath Incubator.

BDIB-111 DRY BATH INCUBATOR



Fast heating speed, uniform heating, accurate temperature control, high stability, low energy consumption and no noise.

Built in temperature calibration function, automatic fault detection and buzzer alarm function.

Built in over-temperature protection device, safe and reliable, enhance the service life of the machine.

Product designed compact and tight, occupied little space. Using freer and easier.

Various blocks for convenient replacement, easy for cleaning and disinfection.

SPECIFICATIONS

Model	BDIB-111
Temp. Control Range	4 °C constant
Temp. Setting Range	4°C
Temp. Stability@4°C	±0.5°C
Block Temp. Uniformity	±0.5°C
Cooling Speed	≤10min(Depending on blocks)
Voltage	AC90~230V, 50/60Hz
Power	100W
Fuse	250V, 3A, φ5x20
Dimension	W.196 x D.270 x H.170mm
Net Weight	3.5kgs



Biolab Scientific Ltd.

3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada
Email: contact@biolabscientific.com | Website: www.biolabscientific.com