PRODUCT CATALOG

MULTI- FUNCTION ELECTRIC BED BHBD-406

CE ISO9001 CERTIFIED

www.biolabscientific.com

MULTI- FUNCTION ELECTRIC BED BHBD-406

An electric Hospital Bed is ideal if you're searching for a bed that can be completely controlled with the click of a button. Features with integrated multi-function and can fulfil the needs of various operations. Electric hospital bed allows height adjustment, as well as providing optimal height for caregivers to work with patients; raising of the head, including into Fowler's position, to allow for feeding, ease of breathing and other benefits resulting from reclining upright; and raising of the feet to help with ease of movement and blood flow.
Used in Medical unit, ICU.
Also known as Medical bed, hospital bed, Hospital cot.

BHBD-406 MULTI- FUNCTION ELECTRIC BED

- Steel Framework, top class ABS & PP plastic
- Castor: 150 mm diam. Universal (central brake)
- Electronic brake & un-brake with easily operated touching switch
- Insert touching switch in the 2pcs side at the head side, for patient to adjust bed posture easily
- Touch switch system at the foot board, with patient lock-out system, for nursing person's operation
- All electrically controlled, with indicator light to show the work status
- Back & leg linkage movement, back-rest and leg re-rest can up/down at the same time, supply convenient operation
- With the "reset" button to make the bed be flat from any position
- Backup battery, for emergency power failure
- Detachable head & foot board in PP plastic, can be fixed when assembled
- 4 pcs drop-down protective railing with angle indicators, controlled by gas spring
- Bed board with soft connection, make the bending of the bed board more smooth to let the patient feel more comfortable when lying in the bed
- Central brake castors, brake and un-brake controlled by electric operation
- IV pole mount bracket, at 4 corners of the bed framework

SPECIFICATIONS

Model	BHBD-406
Function	Multi
Back-rest	0°-65°
Knee Gatch	0°- 40°
Trendelenburg	0 - 12°
Reverse trendelenburg	0 - 12°
HI – LOW	745 – 477 mm
Bed board dimension	1940x900 mm
Safe load capacity	< 250 kg
Castor	360° swivel castors (Dia. 150 mm), with electric brake.
Material	Powder coated steel bed frame, top class ABS & PP plastic
Standard accessory	IV pole
Net Weight	148 kg
Overall dimension	2240Lx1050Wx500-750 mm
Height adjustment	535-720 mm
IV pole	Yes

Dimension	2260Lx1100Wx535-720 mm

Biolab Scientific Ltd.
3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada
Email: info@biolabscientific.com | Website: www.biolabscientific.com