



FUNGAL GROWTH INCUBATOR BIFG-204

FUNGAL GROWTH INCUBATOR BIFG-204

Designed for energy saving and environmental protection, it has a unique air duct design for temperature uniformity that supports wide range of applications.

Used in Temperature dependent incubations, Enzymatic reactions, Reagent Storage. Programmable controls, Refrigeration.

Also known as Laboratory Fungal Growth Incubator.

BIFG-204 FUNGAL GROWTH INCUBATOR

Microcomputer intelligent control with LCD display
High quality, low-noise centrifugal fan ensures the temperature uniformity
Programmable design can set 30 segments
RS485 interface
Mirror finished stainless steel interior and cold-rolling steel with static spray plastics exterior
Double door with the inner glass observation door
Magnetic door seal strips made of nanophase and heat preservation material
Test holes are equipped on both sides, internal diameter is 30mm and external diameter is 60mm
Airflow Refresh Device for fresh environment
Environment efficient, energy-saving CFC-free refrigerant
Durable refrigeration system with multiple, self-checking, auto-defrosting and safe operation avoids temperature influence
Audio visual alarm for water level control and over temperature control
Data can be stored and recovered on power or system failure

SPECIFICATIONS

Model	BIFG-204
Capacity	400 L
Temperature Range	0-60°C
Temperature Fluctuation	±0.5°C
Temperature Uniformity	±1°C
Temperature Resolution	0.1°C
Humidity Range	None
Humidity Fluctuation	None
Timer Range	0-999 min
Internal Dimension	600Wx640Dx1050H mm
Exterior Dimension	745Wx930Dx1695H mm
Shelves	4
Weight	175/249 kg
Power	1350 W
Power Supply	220V, 60Hz



Biolab Scientific Ltd.

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada

Email: info@biolabscientific.com | Website: www.biolabscientific.com