



## PLATELET INCUBATOR BINC-701

## PLATELET INCUBATOR BINC-701

Platelet Incubator is designed to store platelet concentrates in continuous motion at a controlled temperature. It provides precise and steady storage conditions for maintaining the viability of platelet concentrates. Used in Biochemical Studies, Hematological Studies, Bacterial Culturing, Research, Microbiological Determinations, Pharmaceutical Stability Assays, Food Processing Quality Control. Also known as Laboratory Platelet Incubator.

## BINC-701 PLATELET INCUBATOR



## SPECIFICATIONS

Model	BINC-701
Capacity	5 L/cu.ft
Cooling Method	Forced air cooling
Defrost	No frost
Refrigerant	R134a
Temperature range	20~24°C
Ambient temperature	10~32°C
Compressor brand/QTY	EMBRACO/1
Temperature controller	Microprocessor PID
Sensor	NTC
Display	Digital display
Inside material	SUS
Outside material	Colored Spray Steel
Insulation Materials	PU
Bloodbags(450ml)/Drawer	10 /5 layers
NT./GT.	65/87 Kg
Alarm System	High/low temperature, Power failure, Sensor malfunction, Door ajar, Power failure backup system(alarm)-72h
Accessories	Caster, Outer door / Type - 1Foamed glass door, Test hole - Optional, Light - UV Light, Temperature recorder - Optional
Shelf/drawer QTY	Drawer
Internal Dimension	427Wx360Dx467H mm
Exterior size	520Wx640Dx1030H mm
Package size(WxDxH)	590x695x1210 mm
CBM	0.5

20GP/40GP/40HQ	24/48/96
Noise	49 db
Power consumption (kWh/24h)	2.69 (kWh/24h)
Voltage/frequency	220/50Hz
Power	197 W
Current	0.9 A



**Biolab Scientific Ltd.**

3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada  
Email: [contact@biolabscientific.com](mailto:contact@biolabscientific.com) | Website: [www.biolabscientific.com](http://www.biolabscientific.com)