



NATURAL CONVECTION INCUBATOR BINC-7801

NATURAL CONVECTION INCUBATOR BINC-7801

BINC-7801 NATURAL CONVECTION INCUBATOR



P.I.D temperature controller provides accurate and reliable temperature control
Natural convection heating allows the sample temperature to be uniform, suitable for sterilization, powder drying and high temperature storage
Extended Life Silicone Rubber Gasket provides excellent sealing and long service life, but is easily replaced when the time for replacement is needed
Volume(10L~210L)
Inner chamber is made from corrosion-resistant mirror stainless steel
Round curved inner angle is easy to clean
Anti-skid shelf design, easy to operate by single hand
Auto Start Feature after power loss/return
Temperature deviation alarm
Over current protection alarm
Independent Over-temperature protection meets DIN 12880 International standard requirements provides you double protection

SPECIFICATIONS

Model	BINC-7801
Capacity	10 L
Electrical requirement	220 V 50 Hz
Temperature Range	Amb +5 - 65°C
Display Resolution	0.1°C
Ambient Temperature	+5 - 35°C
Power Consumption	85 W
Inner glass door	None
Viewing window	Has
Interior Dimension	250Wx200Dx200H mm
Exterior Dimension	460Wx300Dx330H mm
Shelves	2 pcs



Biolab Scientific Ltd.

3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada

Email: info@biolabscientific.com | Website: www.biolabscientific.com