



LABORATORY REFRIGERATOR BLAR-302

LABORATORY REFRIGERATOR BLAR-302

Laboratory refrigerators supplied with digital controller, glass door, alarm system to meet the demanding requirements of laboratory research. These refrigerator has temperature ranging from +2°C to +8°C and all models are combined with two exact sensors and auto defrost.

Used in Industry, Cosmetic, Pharmaceutical, Electronics, Laboratory, Medical, Research.

Also known as Laboratory Medical Refrigerator.

BLAR-302 LABORATORY REFRIGERATOR

Microprocessor control

4.3" color touch screen display

Adjustable 2°C~15°C temperature range with an increment of 0.1°C

High Ambient temperature and humidity area

Multiple sensors to display or control the temperature

Wide voltage design from 192V to 242V.

Protection function: Power-on delay, time between stops;

Functions: High / Low Temperature, Hot Condenser, Power Failure, Sensor Error, Low Battery, High Ambient Temp, Door Ajar, Remote Alarm

Accessories: Caster, Shelvesx4, Door locking device, USB interface

Optional Accessories: Test hole, Chart Temperature Recorder, Basket

SPECIFICATIONS

| | |
|---------------------|---------------------------------|
| Model | BLAR-302 |
| Capacity | 420 L |
| Temperature Range | 2~15°C |
| Cooling Performance | 4°C |
| Refrigerant | R134a / R600a CFC free |
| Defrost Method | Auto Defrost |
| Cooling Type | Forced air cooling |
| Insulation | 70 mm |
| Material | Galvanized steel powder coating |
| Climatic class | ST |
| Internal Size | 500Wx605Dx1380H mm |
| External Size | 640Wx822Dx1860H mm |
| Power Supply | 220V,50/ 60HZ, 110V,50/60HZ |



Biolab Scientific Ltd.

3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada
Email: contact@biolabscientific.com | Website: www.biolabscientific.com