



VERTICAL LAMINAR AIRFLOW BLVR-201

VERTICAL LAMINAR AIRFLOW BLVR-201

Compact design required for operations in an ultra clean, dust free environment. Ideal for laboratory applications where product protection is required. Small size saves precious laboratory space. Contains ultra thin filter including static pressure box without separator. Larger space permits working with laboratory equipments within the workspace. Used in Electronic sectors, Industrial sectors, Medical, Pharmaceutical, Healthcare.

Also known as Tissue Culture Hood, Laminar Air Flow Cabinet, Laboratory Laminar Flow, Laboratory Laminar Air Flow, Laminar Flow Cabinet, Minimal-Turbulence Air Flow, Laminar Flow Cabinet, Laminar Flow Hood, Laminar Flow.

BLVR-201 VERTICAL LAMINAR AIRFLOW



Microprocessor controller

Pre-filter: Polyester fiber, washable

UV Lamp: Emission of 253.7 nanometers

SPECIFICATIONS

Model	BLVR-201
Type	Vertical Laminar Flow
Air Flow Velocity	Average of 0.3~0.5m/s, air speed adjustable.
HEPA Filter	99.995% efficiency at 0.3µm
Pre-filter	Polyester fiber, washable
Work Surface Height	/
Max Opening	/
Front Window	/
UV Lamp	15Wx1 Emission of 253.7 nanometers
illuminating Lamp	Fluorescent lamp 8W*1
Display	LED Display
Main Body Material	Cold-rolled steel with anti-bacteria powder coating
Work Table Material	304 stainless steel
Caster	/
Standard Accessory	Fluorescent lamp; UV lamp x2; Water & gas tap.
Optional Accessory	/
Noise	<65dB
Internal Size	630Wx375Dx615H mm
External Size	680Wx410Dx1160 mm
Package Size	840Wx560Dx1380H mm
Gross Weight	50kg
Consumption	160W
Power Supply	AC220V±10%, 50/60 Hz; 110V±10%, 60Hz



Biolab Scientific Ltd.

3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada
Email: contact@biolabscientific.com | Website: www.biolabscientific.com