



## BIOLOGICAL MICROSCOPE BMIC-208

## BIOLOGICAL MICROSCOPE BMIC-208

Digital Biological Microscope is an optical microscope that is primarily designed to observe cells, tissues as well as other biological specimens. Magnification range anywhere from 10x - 1,000x or more by attaching multiple objective lenses.

Used in University, Medical, Laboratory, Research, Pharmaceutical.

## BMIC-208 BIOLOGICAL MICROSCOPE



The microscope has a compensation free binocular head inclined at 30° with optional camera system of 0.5M pixel. Valid mould proof design. It can be used under the high temperature and high humidity environment.

## SPECIFICATIONS

Model	BMIC-208
Compensation Free Binocular Head, Inclined at 30°, Interpupillary Distance 48-75 mm	Standard
Camera System	
Valid Pixel 1280x1024 (1.3M Pixel)	NA
Valid Pixel 1600x1200 (2.0M Pixel)	NA
Valid Pixel 2048x1036 (3.0M Pixel)	Standard
Valid Pixel 2052x1944(5.0 M Pixel)	Optional
Output Mode USB 2.0	Standard
Operation System WINDOWS7/8 2000 / XP/VISTA	Standard
Software Scopelimage 9.0	Standard
Range of Viewing Field >90% (BMB-117M ); 18 mm(BMB-300M)	Standard
Eyepiece	
WF10X/18	Standard
P16 X/11	NA
Extra wide filed eyepiece EW10x/20 with diopter adjustment	Optional
Objective	
Achromatic Objective 4X, 10X, 40X, 100X	Optional
Infinite plan Achromatic Objective 4X, 10X, 40X, 100X	Standard
Infinite Plan Achromatic Phase Objective 10X,20X,40X,100X	Optional
Oil Darkfield Objective with Iris Diaphragm 100X (NA0.36-1.25)	Optional
Nosepiece	
Backward Quadruple Nosepiece	NA
Quintuple Nosepiece	Optional
Quadruple Nosepiece	Standard
Stage	

Double Layers Mechanical Stage 140x140 mm, Moving range 75x50 mm	Standard
Condenser	
Abbe NA1.20 with Iris Diaphragm & Filter	NA
Swing Condenser N.A.0.9/0.25	Standard
Turret Phase Contrast Condenser	Optional
Dark Field Condenser (Dry)	Optional
Dark Field Condenser (Oil)	Optional
Focusing	
Coaxial Coarse & Fine Adjustment System, Range 24 mm, Fine Division 0.004 mm	NA
Coaxial Coarse & Fine Adjustment System, Range 20 mm	Standard
Illumination	
LED 3W, Brightness Adjustable	NA
Halogen Lamp 6 V/20 W, Brightness Adjustable	NA
S-LED Powerful Illumination	Standard
Power Supply	
AC 110~220 V, 50/60 Hz	Standard
Accessories	
Phase Contrast Kit	Optional
Dark-Field Attachment	Optional
Polarization Attachment	Optional
Package Size	334X334X533 mm
Gross Weight	12.5 kg



**Biolab Scientific Ltd.**

3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada  
 Email: [contact@biolabscientific.com](mailto:contact@biolabscientific.com) | Website: [www.biolabscientific.com](http://www.biolabscientific.com)