



## MICROWAVE DIGESTER BMWD-206

## MICROWAVE DIGESTER BMWD-206

Dual magnetron inverter control system that ensures consistent sample digestion Anti-corrosion capability two LCD screens that display real-time operation and experiment status full-vessel precise temperature control and monitoring that ensures digestion performance and safety.

Used in Pharmaceutical Analysis, Agricultural, Environmental Analysis, Biological Sciences.

Also known as Microwave Digester, Microwave Extraction.

## BMWD-206 MICROWAVE DIGESTER



Comprehensive safety guarantee, combined with anti-corrosion capability  
Dual magnetron inverter control system ensures consistent sample digestion  
Two LCD screen, displaying real-time operation and experiment status  
Full-vessel precise temperature control and monitoring, ensuring safety and digestion performance.  
Smart software operation

## SPECIFICATIONS

Model	BMWD-206
Vessel Quantity	40pcs
Vessel Volume	55mL
Vessel material	TFM
Temperature Range	0-300 °C
Temperature Control Accuracy	±1 °C
Pressure Control range	0-15MPa
Pressure Control Accuracy	±0.01MPa
Display	LCD
Working Conditions	0-40 °C, 15-80% RH
Microwave Cavity	Grade 316L stainless steel microwave resonant cavity
Furnace Exhaust System	Automatically adjusted air volume; cooling to room temperature in less than 15 minutes
Software System	Android operating system (8G memory), built-in video SOP, application method library, electronic door lock, etc.
Power	3800W
Power Supply	Standard: 220V 50Hz, optional: 110V 60Hz (external transformer)
Package Size(WxDxH)	Main unit: 740x740x820 mm Accessory: 750x480x640 mm Accessory: 500x510x580 mm
Gross Weight	85kg 35kg 22kg



**Biolab Scientific Ltd.**

3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada  
Email: [contact@biolabscientific.com](mailto:contact@biolabscientific.com) | Website: [www.biolabscientific.com](http://www.biolabscientific.com)