



INTEGRATED OR LAMP BOPL-303

INTEGRATED OR LAMP BOPL-303

Shadowless operation lamp is suitable for the requirement of various operation conditions and it is ideal operating lighting equipment for modern operation rooms. Based on trichromatic theory, the light is closer to natural light, which is suitable for medical workers to distinguish the color of vascular tissue, nerve ending and so on. Adapts US blue cold light coating technology, the optical filter could effectively filter ultraviolet rays from the spectrum.

Used in Urology, ENT, Gynecology examination, Surgery.

Also known as Single-hole operation lamp, Examination lamp, Surgical lamp, Operation light.

BOPL-303 INTEGRATED OR LAMP



Imported LED cold light source is adopted as operation lighting. As a genuine cold light source

The LED shadowless lamp is pure-DC power supplied, without any strobe or harmonic

The service life of LED shadowless lamp is long (50,000 h)

LED had high luminous efficiency and it is impact-resistant and strong to resist crumbling, without mercury contamination. The light it sends contains no infra-red or ultraviolet radiation pollution

The unique design of the spring arm

SPECIFICATIONS

| Model | BOPL-303 |
|-----------------------------------|-----------------------------------|
| Illumination | 80,000-160,000LX (at 1m distance) |
| Color temperature | 4500K±500K |
| Color rendering Index | 100≥Ra≥85 |
| Diameter of lamp holder | 700 mm |
| Shift of major and stand by lamps | automatic |
| Depth of light beam | ≥700 mm |
| The Value of total irradiance | <6 mW/m²lx |
| Total irradiance | <600 W/m² |
| Brightness adjustment | CPU light- dimmer |
| Maximum Height for installation | 2800-3200 mm |
| Light field diameter | 10-28 cm at 1m |
| Bulb Power | 150/150W 24V Bulb power |
| Input power | 200+10% VA |
| Power Supply | 220V±20% 50Hz |



Biolab Scientific Ltd.

3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada
Email: contact@biolabscientific.com | Website: www.biolabscientific.com