



VACUUM OVEN BOVA-301

VACUUM OVEN BOVA-301

With quick heating times and and high precision temperature control, vacuum ovens effectively handle heat and oxygen sensitive materials with unmatched gentleness while drying. Designed to operate with reduced pressures, it ensures quick and effective drying of samples in powder or pellet form.

Used in Biochemical, Pharmaceutical, Healthcare, Agricultural, Environmental protection, disinfection, Sterilization, Drying, Roasting, Laboratory, Research, engineering, Industry,.

Also known as Vacuum Oven, Laboratory Vacuum Oven.

BOVA-301 VACUUM OVEN



Microcomputer PID temperature controller with function of timer function
Stainless steel inner chamber with cold rolling steel electrostatic spraying exterior
Double-layer tempered glass anti-bullet door with high permissibility
Over-temperature protection

SPECIFICATIONS

Model	BOVA-301
Capacity	24.3 L
Temperature Range	RT+10-250°C
Temperature Accuracy	±1°C
Temperature Uniformity	±2.0°C
Temperature Resolution	±0.1°C
Vacuum Degree	< 133 Pa
Timer Range	1-9999 min
Internal Dimension	300Wx300Dx270H mm
Exterior Dimension	480Wx480Dx605H mm
Package Size	610x550x710 mm
Shelves	2
Weight	42/52 kg
Power	800 W
Power Supply	220V, 60Hz



Biolab Scientific Ltd.

3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada
Email: contact@biolabscientific.com | Website: www.biolabscientific.com