



NANO SPECTROPHOTOMETER BSNA-101

NANO SPECTROPHOTOMETER BSNA-101

Biolab Nano spectrophotometer is a compact, micro volume UV Visible Spectrophotometer with enhanced sensitivity that can detect samples at 3ng/μl. It gives you fast measurement typically less than 5sec/sample and provides rapid and reproducible results without prior dilution. With robust instrumentation and ease of use, our product is most preferred for quick analysis in labs.

Used in Ideal choice for quantitation of protein, DNA, RNA and photometric measurements in analytical labs and research areas..

BSNA-101 NANO SPECTROPHOTOMETER



User-friendly software, easy to use, free software updates are available

Only require 0.5~2μl sample to accurately determine nucleic acids, proteins

Fast and easy measurements which turn on and instantly measure without lamp warm up time; Easy measurement within 8 sec

Xenon flash lamp, 10 flashes, up to 10 years, no dilutions and expensive consumables

Direct microvolume measurements from 1-2μL of sample. Eliminates the need for expensive accessories

No computer required and with touch screen

Equipped with Android system operation (BSNA-101, BSNA-103, BSNA-104)

It is a basic UV spectrophotometer specifically designed (only two types of wavelength 260nm and 280nm) for nucleic acids and proteins

To detect the concentration of bacteria and microorganism are more convenient with the OD600 function

The BSNA-102/103/104 are full range of wavelength (200-800nm) detection ability; The BSNA-101

is a basic UV spectrophotometer specifically designed (only two types of wavelength 260nm and 280nm) for nucleic acids and proteins

BSNA-104 also can be used to test the Fluorescence, for samples with concentrations below 2 ng/μl, fluorometric mode can be used, and the minimum detection limit can reach 0.5pg/μl

SPECIFICATIONS

Model	BSNA-101
Minimum Sample Size	1-2.0 μl
Wavelength Range	260nm, 280nm
Absorbance Range	0.02-80A
Absorbance Accuracy	1% (7.332Abs at 260nm)
Absorbance Precision	0.005Abs
Photometric Repeatability	<1.5%
Path Length	0.5 mm
Light Source	UV LED
Detector	UV-silicon photocell
Detection Range	Nucleic acid up to 10-4000ng/ul (dsDNA)
Measurement Time	< 8s
OD600 nm Measurement	
Wavelength Range	600±8 nm
Absorbance Range	0-4A
Software	USB

Software Compatibility	Android System
Sample Pedestal Material	Aluminium alloy and Quartz fiber
Dimension (W/D/H)	210x280x181 mm
Weight (Net/Gross)	3.5 kg
Standby Power	5 W
Power	25 W
Power Supply	24V DC



Biolab Scientific Ltd.

3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada
 Email: contact@biolabscientific.com | Website: www.biolabscientific.com