



## 3D SHAKER BSOT-208

## 3D SHAKER BSOT-208

Our product is an accurately designed, microprocessor controlled with double Decker platform to save your valuable lab space. Three eccentric shaft balancing drive ensures shaking with uniform speed. Speed adjustment settings permit both gentle and vigorous shaking. Varieties of platforms are available for different glassware and vessels. Also known as Laboratory Orbital Shaker.

## BSOT-208 3D SHAKER



Real-time speed display and timing display, convenient and intuitive. Can be set to run continuously from time to time.

With a timing alarm system, when the program is finished, there will be a buzzer prompt.

Speed is adjustable, the speed range is 5 ~ 80rpm.

Special movement structure, strong bearing capacity and low running noise

## SPECIFICATIONS

Model	BSOT-208
Speed Range	5~80 rpm
Timing Range	0~99 h 59 min
Angle of inclination	16°
Operation mode	Timing/continuous operation
Maximum load	2.5 kg
Power	35 W
Fuse	250 V,1 A,φ5x20
Voltage	AC110~230V,50/60 Hz
Overall Dimension	W.368xD.228xH.206 mm
Net weight	5.2 kg

## OPTIONAL ACCESSORIES

Accessory Code	Name	Description
2001413006	Platform A	500 ml flask x 4
2001413007	Platform B	250 ml flask x 5
2001413008	Platform C	100 ml flask x 9
2001413009	Platform D	culture plate x 2
2001413010	Non-slip Pad	
2001413011	Convex Pad	



**Biolab Scientific Ltd.**

3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada

Email: [info@biolabscientific.com](mailto:info@biolabscientific.com) | Website: [www.biolabscientific.com](http://www.biolabscientific.com)