



ORBITAL SHAKER BSOT-608

ORBITAL SHAKER BSOT-608

Our product is an accurately designed, microprocessor controlled with double Decker platform to save your valuable lab space. Three eccentric shaft balancing drive ensures shaking with uniform speed. Speed adjustment settings permit both gentle and vigorous shaking. Varieties of platforms are available for different glassware and vessels.

Used in Stability, Dissolution Studies, Liquid Extractions, Protein Precipitation, Small Peptide Synthesis, Dilutions.

Also known as Laboratory Orbital Shaker.

BSOT-608 ORBITAL SHAKER

Microprocessor based PID controller with timing function

Brushless DC motor ensures maintenance-free, reliable and quiet operation

Easy to clean anti-eroding stainless steel or alnico plate

Swift start and stop system prevents liquid spillage

Audio alarm signals program completion

SPECIFICATIONS

Model	BSOT-608
Speed Range	40-300 rpm
Temperature	RT+5-65°C
Shaking Orbit	20 mm
Timing Range	1~9999 min
Motion	Orbital
Operation	Continuous/Timed
Platform Dimension	400x340 mm
Display	LCD
Power	450 W
Power Supply	220V, 50Hz



Biolab Scientific Ltd.

3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada
Email: contact@biolabscientific.com | Website: www.biolabscientific.com