



THERMO SHAKER INCUBATOR BSTH-202

THERMO SHAKER INCUBATOR BSTH-202

Used in Incubation, Cultivation, Re-suspending Pellets, Denaturin, PCR preparations, ELISA Assays, Colorimetric Assays, Enzyme, Protein Analysis.

Also known as Thermo Shaker, Lab Shaker, Thermo Shaker Incubator, Laboratory Thermo Shaker Incubator.

BSTH-202 THERMO SHAKER INCUBATOR

Optimized 2D mixing designed for simultaneous mixing and vortexing applications
Pre-programmed soft keys and reliable universal holder
Automatic imbalance detection and anti-spill technology
Mixing in a 3-in-1 format: Plates (up to 96-well and 384-well formats), Micro-Tubes,
Vortexing numerous tube formats
Custom blocks available for different experiment needs

SPECIFICATIONS

Model	BSTH-202
Speed Range	200-1500 rpm
Temperature	5-100°C
Temperature Accuracy	< ± 0.5°C
Temperature Resolution	0.1°C
Vortex Shaking Speed	None
Shaking Orbit	4 mm
Time of Heating	≤15 min (from 20°C to 100°C)
Time of Cooling	No cooling function
Timing Range	1 min~99 h 59 min
Motion	Orbital
Overall Dimension	300x220x170 mm
Weight	7 kg
Power	150 W
Power Supply	AC220 V 50/60 Hz or AC120 V 50/60 Hz



Biolab Scientific Ltd.

3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada
Email: contact@biolabscientific.com | Website: www.biolabscientific.com