



THERMO SHAKER INCUBATOR BSTH-204

THERMO SHAKER INCUBATOR BSTH-204

Used in Incubation, Cultivation, Re-suspending Pellets, Denaturin, PCR preparations, ELISA Assays, Colorimetric Assays, Enzyme, Protein Analysis.

Also known as Thermo Shaker, Lab Shaker, Thermo Shaker Incubator, Laboratory Thermo Shaker Incubator.

BSTH-204 THERMO SHAKER INCUBATOR



Optimized 2D mixing designed for simultaneous mixing and vortexing applications
Pre-programmed soft keys and reliable universal holder
Automatic imbalance detection and anti-spill technology
Mixing in a 3-in-1 format: Plates (up to 96-well and 384-well formats), Micro-Tubes, Vortexing numerous tube formats
Custom blocks available for different experiment needs

SPECIFICATIONS

Model	BSTH-204
Speed Range	300-3000 rpm
Temperature	RT+5-100°C
Temperature Accuracy	0.5°C
Temperature Resolution	0.1°C
Vortex Shaking Speed	None
Speed Increment	10 rpm
Shaking Orbit	2 mm
Time of Heating	≤12 min
Time of Cooling	No cooling function
Timing Range	1min ~ 99h59 min
Motion	Orbital
Overall Dimension	230x170x165 mm
Weight	5.5 kg
Power	150 W
Power Supply	230 V, 60 Hz



Biolab Scientific Ltd.

3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada

Email: info@biolabscientific.com | Website: www.biolabscientific.com