



STOMACHER BSTO-102


STOMACHER BSTO-102

Stomacher is widely used in homogenization treatment of animal tissues and biological samples. The device can effectively separate the surface of solid sample and the microorganisms contained in it. It meets the requirements of fast, accurate results and good repeatability.

Used in Homogenization, Biological samples, Cosmetics, Drugs Microbiological analysis, Laboratory, Medical, Research, Clinical, Food Microbiology.

Also known as Laboratory Stomacher, Stomacher Blender, Laboratory Stomacher Blender.

BSTO-102 STOMACHER



Large-screen LCD.

Stores three groups of procedures.

Adjustable homogenization time.

Homogeneous speed can be adjusted or fixed.

Slap device adjustable from front to back.

Sterile disposable filter bag, to ensure the health and safety.

Wide open door for easy cleaning.

Transparent glass window is easy to observe.

Sample and homogeneous instrument contact, such as sample leak is not required for system cleaning.

Soft homogeneous samples of non-polluting, no damage, not warming, does not require the sterilization process, without washing utensils.

SPECIFICATIONS

Model	BSTO-102
Effective volume	3~400 ml
Control mode	Multi 3 segment programming of microcomputer control
Parameter storage	3 sets of programming parameter
Display mode	LCD Display
Timing	0.1~99 min 59 seconds or continuous operation
Capacity	3-400 ml
Temperature control	/
Temperature Setting Range	/
Rap speed	3~12 times/Sec
Multistage programming	Arbitrary parameter combinations can be set
Aseptic homogeneous bag	17×30 Cm
Startup mode	Soft start
Strike distance	0~50mm adjust
Anti clamp function	Automatic stop anti clamping function
Disinfection function	/
Rattling box	Stainless steel and spray plastic antirust treatment
Power	200 W



Biolab Scientific Ltd.

3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada
Email: contact@biolabscientific.com | Website: www.biolabscientific.com