



## TUBE ROLLER BTUR-102

## TUBE ROLLER BTUR-102

The versatile, end-over-end tube roller and Rotators are designed for mixing samples in both a vertical and horizontal plane. They can be placed in an environment temperature ranges from 5 to 40° and the rotation speed is adjustable, from 0 to 99 rpm. Tube Rollers, Rotators and Rocker are designed to deliver salient performance, accuracy, and reproducible results for all your application needs.

Used in Industrial, Clinical Laboratories, Academic Facilities, Environmental Applications, Food Technology, Wastewater Facilities.

Also known as Tube Roller, Roller, Laboratory Roller.

## BTUR-102 TUBE ROLLER



Rocking and rolling motions for complete mixing

LCD display the speed and time

Speed range of 10-70 rpm

Six roller design with small footprint and easy clean

Designed for continuous or timed operation

## SPECIFICATIONS

Model	BTUR-102
Speed Range	10-70 rpm
Roller Length	279 mm
Amplitude	24 mm
Maximum Load Capacity	4 kg
Operation	Continuous or timed
Dimension	444Lx279Wx125H mm
Motor Type	DC brushless
Weight	5.5 kg
Power Supply	100-220V, 50/60Hz



**Biolab Scientific Ltd.**

3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada  
Email: [contact@biolabscientific.com](mailto:contact@biolabscientific.com) | Website: [www.biolabscientific.com](http://www.biolabscientific.com)