



## ROTATOR BTUR-203

## ROTATOR BTUR-203

The versatile, end-over-end tube roller and Rotators are designed for mixing samples in both a vertical and horizontal plane. They can be placed in an environment temperature ranges from 5 to 40° and the rotation speed is adjustable, from 0 to 99 rpm. Tube Rollers, Rotators and Rocker are designed to deliver salient performance, accuracy, and reproducible results for all your application needs.

Used in Industrial, Clinical Laboratories, Academic Facilities, Environmental Applications, Food Technology, Wastewater Facilities.

Also known as Tube Rotator, Rotator, Laboratory Rotator.

## BTUR-203 ROTATOR



End-over-end or rolling action, gives gentle but effective mixing  
Adjustable speed range of 0 to 80 rpm  
Used with a wide variety of accessories  
Continuous quiet operation

## SPECIFICATIONS

Model	BTUR-203
Speed Range	0-80 rpm
Permissible Relative Humidity	0.8
Tilt Angle (°)	90
Operation	Continuous
Dimension	150Dx530Wx190H mm
Motor Type	DC motor
Protection Class	IP21
Weight	1.7 kg
Power	20 W
Power Supply	100-240V, 50/60Hz

## OPTIONAL ACCESSORIES

Accessory Code	Name	Description
3300806006	Disk and Rotisserie accessory	For 1.5ml x 12 centrifuge tubes
3300806007	Disk and Rotisserie accessory	For 15ml x 12 centrifuge tubes
3300806008	Disk and Rotisserie accessory	For 50ml x 12 centrifuge tubes



**Biolab Scientific Ltd.**

3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada  
Email: [contact@biolabscientific.com](mailto:contact@biolabscientific.com) | Website: [www.biolabscientific.com](http://www.biolabscientific.com)