



3D GYRATORY ROCKER BTUR-304

3D GYRATORY ROCKER BTUR-304

The versatile, end-over-end tube roller and Rotators are designed for mixing samples in both a vertical and horizontal plane. They can be placed in an environment temperature ranges from 5 to 40° and the rotation speed is adjustable, from 0 to 99 rpm. Tube Rollers, Rotators and Rocker are designed to deliver salient performance, accuracy, and reproducible results for all your application needs.

Used in Laboratory, Research, Mixing, Incubation.

Also known as Laboratory Rocking Shaker.

BTUR-304 3D GYRATORY ROCKER



Gentle but thorough mixing

Suits for blood collection tubes and centrifuge tubes

Tilt angle and speed have been optimally set

Safe for use in cold rooms and incubators

SPECIFICATIONS

Model	BTUR-304
Speed Range	20 rpm (fixed)
Shaking Orbit	3D / 20 (fixed)
Max. Load	0.8 kgs
Voltage	AC 220V/AC 110V, 50/60 Hz
Power	45 W
Dimension	W.240 x D.170 x H.150 mm
Net Weight	1.6 kgs



Biolab Scientific Ltd.

3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada
Email: contact@biolabscientific.com | Website: www.biolabscientific.com