



DIGITAL DISPLAY ULTRASONIC CLEANER BULC-301

DIGITAL DISPLAY ULTRASONIC CLEANER BULC-301

Digital Display Ultrasonic Cleaner uses frequency of 40Khz for cleaning the lab equipments.
Also known as Digital ultrasonic cleaner, Ultrasonic cleaning bath, Ultrasonic cleaning tank.

BULC-301 DIGITAL DISPLAY ULTRASONIC CLEANER



Digital display and control
Industrial high Q transducers, cleaning conversion efficiency is higher
No stud- welding technology, Cleaning effect is better
MCU SWEEP multi frequency ultrasonic generator output, frequency sweep drive ultrasonic cleaning effect more powerful
MHC heating system, maximum temperature is up to 80°C
All stainless steel material inner tank is made by punching SUS304 1.0mm
2500V high voltage test to ensure the product safety, strict production, aging production quality control

SPECIFICATIONS

| | |
|----------------------|---|
| Model | BULC-301 |
| Capacity | 1.3 L |
| Working frequency | 40 KHz |
| Ultrasonic Power | 70 W |
| Heating power | No |
| Timing time | 10- 600s |
| Temperature range | No |
| Cover | Yes |
| Drain valve | No |
| Washing basket | Optional |
| Inner tank dimension | 150x135x65 mm |
| Packing size | 242x227x265 mm |
| Gross weight | 2.4 Kg |
| Power Supply | 220V+ 10% 50Hz/60Hz 110V+ 10% 50Hz/60Hz |



Biolab Scientific Ltd.

3660 Midland Avenue, Suite 300, Toronto, Ontario M1V 0B8, Canada
Email: contact@biolabscientific.com | Website: www.biolabscientific.com