



PRECISION BALANCE BBAL-216

PRECISION BALANCE BBAL-216

PRECISION BALANCE



LCD / AC and DC power supply (AA*3)
 Tare function / Counting / Unit conversion (g/ct/oz...)
 Min weighing set
 Overload alarm / Level indicator
 Option: Dual display / Interface / Printer / Windproof / Dust cover
 Note: Capacity more than 1 kg or accuracy less than 0.01 g is not equipped with calibration weight.

SPECIFICATIONS

| | |
|---------------|-------------------|
| Model | BBAL-216 |
| Capacity | 210g |
| Readability | 0.01g |
| Repeatability | ±0.02g |
| Linearity | ±0.03g |
| Pan Size | Φ130mm |
| Stable Time | ≤2S |
| Alt Name | Precision Balance |

ACCESSORIES FOR PURCHASE

| No | Name | Description | Information |
|----|------------|---|--|
| 1 | Weight set | Recommend corresponding accuracy calibration (1mg-20kg) | M1 level Suitable for 0.1g-0.01g F2 level Suitable for 0.01g-0.001g F1 level Suitable for 0.001g-0.0001g E2 level Suitable for over 0.0001g |
| 2 | Weight set | Lock type series weights (5kg-20kg) | M1 level Suitable for 0.1g-0.01g F2 level Suitable for 0.01g-0.001g F1 level Suitable for 0.001g-0.0001g |



1



1



1



1




2




2

| No | Name | Size |
|----|--------------------------------|-------------|
| 1 | Plastic windshield | 18*17*9.5cm |
| 2 | Collapsible plastic windshield | 18*18.5*9cm |
| 3 | Dust cover | 19*27*6.5cm |



1



2



3



Biolab Scientific Ltd.

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada

Email: info@biolabscientific.com | Website: www.biolabscientific.com