



PRODUCT CATALOG



MICRO CENTRIFUGE BCBH-102

MICRO CENTRIFUGE BCBH-102

MICRO HIGH SPEED CENTRIFUGE



1. Brushless motor, no pollution, free-maintenance.
2. Microprocessor control, LCD display which indicates the speed, time, RCF in operation, 10 kinds of brake setting, operate simply.
3. Electric lid lock, super speed, imbalance protection.
4. The centrifuge body is made of high quality steel, stainless steel chamber, safe and reliable.
5. Rotor is connected to spindle by specialized taper sleeve, loading simple and quick, no direction.
6. 3 tiers protection steel cover and get the ideal centrifugation result

SPECIFICATIONS

Model	BCBH-102
Max. Speed	16000 rpm
Max. RCF	19040 x g
Max. Capacity	10 x 5 ml
Time Range	0 ~ 99 min 59 s
RPM/RCF Convert	Yes
Noise (dB)	≤ 55
Temperature	Normal
Acc/Dec	10 Kinds
Speed Accuracy	±20 r/min
Voltage(V/Hz)	AC 220V/110V 50Hz/60Hz
Size (W x D x H mm)	355 x 270 x 205 mm
Net Weight(Kg)	14 Kg
Certificates	CE, ISO & Calibration report available
Alt Name	Micro High Speed Centrifuge

ACCESSORIES FOR PURCHASE

No	Name	Max Speed (rpm)	Max Volume (ml)	Max. RCF (xg)
1	Angle Rotor	16000	40x0.2ml	19040
2	Angle Rotor	16000	24x0.5ml	18480
3	Angle Rotor	16000	12x1.5/2ml	17940
4	Angle Rotor	16000	10x5ml	17880
5	Angle Rotor	14000	20x1.5/2ml	15580
6	Microplate rotor	12000	24 capillary tubes	15800
7	PCR rotor	14000	4x8pcr	12070



Biolab Scientific Ltd.

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada

Email: info@biolabscientific.com | Website: www.biolabscientific.com