



PRODUCT CATALOG



MICRO CENTRIFUGE BCBHR-303

MICRO CENTRIFUGE BCBHR-303

REFRIGERATED MICRO CENTRIFUGE



- 1.Brushless frequency motor,stable,quietly running,long life,unnecessary to maintain, quick in speed up and down.
- 2.Imported compressors,fluorine-free, double cycle cooling, cold and hot alternating easily, environment pollution-free and precise in temperature control.
3. Microprocessor control, LCD display in all parameters running.
- 4.Automatically electric lid lock, super speed, over temperature protection and imbalance protection. The centrifuge body is made of high quality steel, safe and reliable.
- 5.There are several kinds of rotors for your choice, adapters can be designed by experimental requirements.
- 6.3 layers protection of steel structure and get the ideal centrifugation result.

SPECIFICATIONS

Model	BCBHR-303
Max speed	16000rpm
Max volume	24x1.5ml/2ml
Timer	1-9h59min
Dimension(HxDxW)	508x450x270mm
Speed accuracy	±20rpm
Temperature range	-20~40°C
Max RCF	19040xg
Noise	≤55dBA
Net weight	43KG
Power supply	AC 220V 50HZ 5A
Package	Wooden box
Temperature accuracy	±1°C
Alt Name	Refrigerated Micro Centrifuge

ACCESSORIES FOR PURCHASE

No	Name	Max speed(rpm)	Max capacity(ml)	Max RCF(xg)
1	Angle rotor	16000	40*0.2ml	19040
2	Angle rotor	16000	24*0.5ml	18480
3	Angle rotor	16000	12*1.5/2ml	16260
4	Angle rotor	16000	10*5ml	17880
5	Angle rotor	14000	24*1.5/2ml	17950



Biolab Scientific Ltd.

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada

Email: info@biolabscientific.com | Website: www.biolabscientific.com