



LABORATORY LOW SPEED CENTRIFUGE BCBLR-406

LABORATORY LOW SPEED CENTRIFUGE BCBLR-406

PRP CENTRIFUGE



1. Frequency conversion motor with simpler construction, more reliable performance, longer life and quietly running.
2. Automatically electric lid lock, super speed, over temperature protection and imbalance protection.
3. Rotor is connected to spindle by specialized taper sleeve, loading simple and quick, no direction, safe and reliable.
4. Microprocessor control, digital display in the speed, time, RCF in operation, speed raising and reducing quick, operate simply.
5. High quality steel body, stainless steel chamber makes sure the safety of instrument and people.

SPECIFICATIONS

Model	BCBLR-406
Max. Speed	4000rpm
Max. RCF	2950xg
Max. Capacity	4x30ml(PRP kit/tubes, Brand such as Prosys prp30ml, Pro prp 30ml/60ml, Prolo prp 30ml, Dr.prp 30ml etc.)
Time Range	0~99min
RPM/RCF Convert	Yes
Noise (dB)	≤ 55
Acc/Dec	10 Kinds
Speed Accuracy	± 20r/min
Voltage(V/Hz)	AC 220V/110V 50HZ/60HZ
Size (W x D x Hmm)	560x400x320mm
Net Weight(Kg)	32KG
Certificates	CE, ISO & Calibration report are available
Alt Name	PRP Centrifuge



Biolab Scientific Ltd.

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada

Email: info@biolabscientific.com | Website: www.biolabscientific.com