



## LABORATORY LOW SPEED CENTRIFUGE BCFLR-204

## LABORATORY LOW SPEED CENTRIFUGE BCFLR-204

### PHLEBOTOMY CART REFRIGERATED CENTRIFUGE

Installed in all kinds of blood collection vehicles, this centrifuge is equipped with 12x5mL special rotors (suitable for vacuum blood collection tubes and nucleic acid centrifuge tubes, etc.). Its secure chassis design with suction cups puts an end to any hidden danger of machine movement when traveling.



## SPECIFICATIONS

Model	BCFLR-204
Product Model	LR5M
Max capacity	12x5mL
Max speed	4,000r/min
Max RCF	2,620xg
Speed accuracy	±30r/min (customizable, multiples of 10)
Control and drive system	High torque AC brushless motor, microcomputer control
Compressor	Fluorine-free refrigeration compressor unit and eco-friendly refrigerant R404a
Temperature control range	-20°C~+40°C
Temp. accuracy	±2°C
Timer range	1min~99h59min59s, with continuous centrifugation and instantaneous centrifugation
Total power	0.6kW
Power supply	AC220V50Hz
Weight	52.5kg
Dimensions (LxWxH)	340mmx562mmx396mm
Alt Name	Phlebotomy Cart Refrigerated Centrifuge





**Biolab Scientific Ltd.**

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada  
Email: [info@biolabscientific.com](mailto:info@biolabscientific.com) | Website: [www.biolabscientific.com](http://www.biolabscientific.com)