



LABORATORY HIGH SPEED CENTRIFUGE BCMI-515

LABORATORY HIGH SPEED CENTRIFUGE BCMI-515

HIGH-SPEED CENTRIFUGE

The high-speed centrifuge is widely used in life science, biology, molecular biology, physical and chemical analysis and other fields, for the separation of cells, proteins, virus samples, etc. The maximum speed can reach 15000rpm.



High-speed and stable operation, the rotor and the motor shaft are matched with high-precision cones, high concentricity, and low operating noise. Both the upper cover and the lower shell adopt high-strength metal protective rings, which have high structural safety and ensure the safe operation of the rotor at high speed.

The invention patent of the upper cover safety lock ensures safety during operation. It automatically pops up after the operation is completed, and has a one-key open cover function.

Adopting the three-dimensional air inlet circulation cooling method, the cooling effect is good, and the temperature rise of the rotor is low.

Powerful DC brushless motor, maintenance-free, fast drive, ultra-quiet operation, low noise level.

SPECIFICATIONS

Model	BCMI-515
Speed range	500~15000rpm (increment: 100rpm)
Time range	1s~99min59s (can be centrifuged instantly)
Speed up down time range	25 or 45s (to protect special sensitive samples from resuspension)
Rotor capacity	0.2ml/0.5ml/1.5ml/2mlx24; 0.2mlx8 stripx4; 0.5mlx36; 5mlx18
Max. RCF	21400xg
Temp. range	/
Temp.control accuracy (at 4°C)	/
Time from R. T. to 4°C	/
Working noise	≤62 dB
Safety	High-strength metal protective ring, safety door lock, overspeed, overtemperature, status diagnosis
Other functions	Speed/acceleration display function, instantaneous centrifugal function, running progress display, sound prompt function
Voltage	AC 220V 50Hz
Max. power	500W
Fuse	250V ,10A, φ5x20
Dimensions (W x D x H)	W.238xD.335xH.208mm
Net weight	13kg
Alt Name	High-speed centrifuge

ACCESSORIES FOR PURCHASE

No	Name	Description
1	Rotor	5mlx18 Max. speed: 15000rpm Max. RCF: 21400xg
2	Rotor	0.2mlx32 0.2mlx8 stripx4 Max. speed:15000rpm Max. RCF:17624xg

3	Rotor	0.5mlx36 Max. speed:15000rpm Max. RCF:21400xg
4	Rotor	0.2ml/0.5ml/1.5ml/2mlx24 Max. speed:15000rpm Max. RCF:21400xg
5	Tube adapters	2ml to 0.2ml
6	Tube adapters	2ml to 0.2ml



1



2



3



4



5



6

FEATURES

High-speed and stable operation, the rotor and the motor shaft are matched with high-precision cones, high concentricity, and low operating noise.

Both the upper cover and the lower shell adopt high-strength metal protective rings, which have high structural safety and ensure the safe operation of the rotor at high speed.

The invention patent of the upper cover safety lock ensures safety during operation. It automatically pops up after the operation is completed, and has a one-key open cover function.

Adopting the three-dimensional air inlet circulation cooling method, the cooling effect is good, and the temperature rise of the rotor is low.

Powerful DC brushless motor, maintenance-free, fast drive, ultra-quiet operation, low noise level.

After the centrifugation is finished, the sound prompts and the cover will automatically opened, which is convenient for the sample to cool down; the brake is soft to protect the special sensitive samples.

The speed up/down speed is adjustable, suitable for different experimental requirements.

It adopts a 4.3-inch color LCD screen, which can display the speed, centrifugal force and time at the same time.

The buzzer prompts after the operation is completed, with the function of displaying the running status and prompting the error code.

With the PROG key, you can call the built-in 10 groups of programs with one key, which is convenient and quick to use.

Equipped with a momentary centrifugal button, which can be centrifuged quickly to meet more experimental needs.

A high-strength aluminum alloy rotor has no service life limit and can be sterilized by high temperature and high pressure.

One machine for multiple purposes, suitable for 0.2, 0.5, 1.5, 2.0, 5.0ml centrifuge tubes and PCR centrifuge tubes, four rotors are available.



Biolab Scientific Ltd.

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada

Email: info@biolabscientific.com | Website: www.biolabscientific.com