



DRY BATH INCUBATOR BDIB-111

DRY BATH INCUBATOR BDIB-111

DRY BATH INCUBATOR



Fast heating speed, uniform heating, accurate temperature control, high stability, low energy consumption and no noise.

Built in temperature calibration function, automatic fault detection and buzzer alarm function.

Built-in over-temperature protection devices, safe and reliable, enhance the service life of the machine.

Product designed compact and tight, occupied little space. Using freer and easier. Various blocks for convenient replacement, easy for cleaning and disinfection.

SPECIFICATIONS

Model	BDIB-111
Temp. Control Range	4°C constant
Temp. Max. Decrease	/
Temp. Setting Range	4°C
Temp. Stability@100°C	/
Temp. Stability@40°C	/
Temp. Stability@4°C	±0.5°C
Block Temp. Uniformity	±0.5°C
Temp. Display Accuracy	/
Heating Speed	≤10min (Depending on blocks)
Cooling Speed	/
Time Range	AC90~230V, 50/60Hz
Voltage	100W
Power	250V, 3A, Φ5x20
Fuse	W.196 x D.270 x H.170mm
Dimension	3.5kgs
Net Weight	3.5kgs
Alt Name	Dry Bath Incubator


ACCESSORIES FOR PURCHASE

No	Spec	Dia. of hole	Name	Block dimension
1	0.2 ml x 96	6.7 mm	Cone bottom	107 x 71 x 20 mm
2	0.5 ml x 54	8 mm	Cone bottom	107 x 71 x 25 mm
3	1.5 ml x 35	10.8 mm	Cone bottom	107 x 71 x 32 mm
4	2.0 ml x 35	10.8 mm	Round bottom	107 x 71 x 32 mm
5	0.5 ml x 20 + 1.5 ml x 15	8 mm / 10.8 mm	Cone bottom	107 x 71 x 32 mm
6	≤Φ12mm x 24	12 mm	Flat bottom	107 x 71 x 32 mm
7	0.2 ml x 32 + 1.5 ml x 25	6.1 mm / 10.8 mm	Cone bottom	107 x 71 x 32 mm
8	0.2 ml x 32 + 0.5 ml x 10 + 1.5 ml x 15	6.1 mm / 8 mm / 10.8 mm	Cone bottom	107 x 71 x 32 mm
9	Water Bath	103 x 67 x 30 mm	Flat bottom	107 x 71 x 32 mm

10	Flat bottom plates	Top size 69 x 107 x 12 mm	Flat plate block	116 x 71 x 15 mm
11	5 ml x 24	13.5 mm	Flat bottom	107 x 71 x 32 mm
12	15 ml x 12	16.9 mm	Flat bottom	107 x 71 x 32 mm
13	50 ml x 6	29.5 mm	Flat bottom	107 x 71 x 100 mm
14	Customized	Customized	Customized	Customized
15			Cover A	
16			Cover B	Choose J block can be used with 96-well ELISA plate and 96-well PCR plate (half skirt, full skirt)
17			Metal cover	Choose J block can be used with deep well plate



1



2



3



4



5



6



7



8



9



10



11



12



13



15



16



17



Biolab Scientific Ltd.

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada

Email: info@biolabscientific.com | Website: www.biolabscientific.com