



COMPOUNDING HOOD BEM1BL6 (BCHL-404)

COMPOUNDING HOOD BEM1BL6

COMPOUNDING HOOD



There are two types:

- Positive pressure in work area only protects sample.

LED Display

Active Carbon Filter

Acrylic Front Window

SPECIFICATIONS

Model	BEM1BL6
Old Model	BCHL-404
External Size (W*D*H)mm	700*620*1150mm
Internal Size (W*D*H)	640*550*700mm
Display	LED Display
Airflow Velocity	0.3~0.8m/s
Material Main body	Cold-steel with anti-rust powder coating
Material Work table	Solid physicochemical steel plate
Pre-Filter	Polyester fiber
Filter	Active Carbon Filter
Noise	≤60dB
Front Window	Manual, acrylic material
Max Opening	660mm
LED Lamp	4W*2
UV Lamp	15W*1 (optional) Emission of 253.7 nanometers
Consumption	200W
Power Supply	AC220V±10%, 50/60Hz; 110V±10%, 60Hz;
Standard Accessory	LED lamp*1, LED lamp*24 meters PVC exhaust duct, Diameter: 250mm.
Optional Accessory	Base Stand, UV Lamp*2
Gross Weight	100kg
Package Size (W*D*H)mm	840*760*1400
Alt Name	Compounding Hood



Biolab Scientific Ltd.

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada

Email: info@biolabscientific.com | Website: www.biolabscientific.com