





DUCTLESS FUME HOOD BEM1BQ1





DUCTLESS FUME HOOD BEM1BQ1

DUCTLESS PP FUME HOOD



- 1. The case is made of 8mmPP plate, with good finish and corrosion resistance.
- 2. The front window has 8° physiological incline, ergonomic design, larger viewing angle.
- 3. The front window is foldable acrylic window, and the lower acrylic window has the function of stopping at will.
- 4. Electronic control system with anti-overload, anti-shock and other functions, stable performance, long service life.
- 5. With power failure memory function, that is, when encountering a sudden power failure, power again can maintain

the working state before the power failure, convenient experimental operation.

SPECIFICATIONS

| Model | BEM1BQ1 |
|--------------------|---|
| External Size | 700*700*1100mm |
| Internal Size | 680*606*688mm |
| Max Opening | 640mm |
| Airflow Volume | 230 m³h |
| Air Velocity | 0.3~0.8m/s |
| Noise | ≤65dB(A) |
| LED Lamp | 15W |
| Illumination | ≥400lx |
| Blower | Built-in centrifugal blower |
| Power Supply | 220V, 50/60Hz |
| Consumption | 150W |
| Material | Main Body: PP plate, thickness 8mmWork Table: Chemical resistant phenolic resin |
| Standard Accessory | Active carbon filter*2 |
| Optional Accessory | Water tap, Gas tap, Water sink, Base stand, UV lamp, HEPA filter |
| Net Weight | 67kg |
| Gross Weight | 87kg |
| Package Size | 820*820*1280mm |
| Alt Name | Ductless PP Fume Hood |



Biolab Scientific Ltd.

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada Email: info@biolabscientific.com | Website: www.biolabscientific.com