



## PATHOLOGY WORKSTATION BEM1CG1

# PATHOLOGY WORKSTATION BEM1CG1

## LAMINAR FLOW PATHOLOGY WORKSTATION



- 360°rotatable and adjustable spotlight, convenient for taking materials.  
Formaldehyde perfusion universal faucet, The telescopic faucet is convenient for cleaning the countertop  
Real-time display of intelligent control parameters,Human body induction switch is easy to operate  
Foldable hot and cold faucet
1. The open table design is adopted, and the front and rear of the operation area are unobstructed to ensure the maximum experimental space.
  2. Airflow pattern design with top air supply and bottom exhaust.
  3. Intelligent control system adopts LCD operation panel.
  4. The whole machine is made of 304 stainless steel, easy to clean.
  5. Standard formaldehyde filling device, built-in liquid tank, with liquid filli

## SPECIFICATIONS

Model	BEM1CG1
External Size	1800*800*2000mm
Operating Table Size	1455*490mm
Operating Table Adjustable Height	800-950mm
Airflow Pattern	Top air supply and bottom exhaust
Standard Function	Table lifting, formaldehyde filling device
Optional Function	Pulverizer, water heater, plasma system, mobile display stand, sampling plate exhaust air fan,new air fan
Power Supply	Standard: 220V 50/60Hz, optional: 110V 50/60Hz
Net Weight	350kg
Packing Size	1980*960*2250mm
Gross Weight	380kg
Alt Name	Laminar Flow Pathology Workstation

## FEATURES

360°rotatable and adjustable spotlight, convenient for taking materials.



Formaldehyde perfusion universal faucet, The telescopic faucet is convenient for cleaning the countertop



Real-time display of intelligent control parameters,Human body induction switch is easy to operate



Foldable hot and cold faucet



1. The open table design is adopted, and the front and rear of the operation area are unobstructed to ensure the maximum experimental space.
2. Airflow pattern design with top air supply and bottom exhaust.
3. Intelligent control system adopts LCD operation panel.
4. The whole machine is made of 304 stainless steel, easy to clean.
5. Standard formaldehyde filling device, built-in liquid tank, with liquid filling accessories and low liquid level alarm system, convenient for filling formaldehyde.

## APPLICATIONS

Pathological sampling bench is widely used in hospital pathology department, pathology laboratory, etc. Reasonable ventilation system protects operator away from the harmful gas produced by the formalin during sampling. The hot & cold water system ensures it can adapt work in different climates.



**Biolab Scientific Ltd.**

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada  
Email: [info@biolabscientific.com](mailto:info@biolabscientific.com) | Website: [www.biolabscientific.com](http://www.biolabscientific.com)