



MAGNETIC STIRRER BER-3902

MAGNETIC STIRRER BER-3902

MAGNETIC STIRRER



1. Heating power and stirring speed is stepless adjustable.
2. With an adjustable thermometer rack, stainless steel rods and the stir bar.
3. SH-(C) series: Ceramic Plate

SPECIFICATIONS

| | |
|----------------------------|---|
| Model | BER-3902 |
| Function | |
| Max. Volume (ml) | 2000 |
| Speed (r.p.m) | 100-2000 |
| Working Time | Continuous |
| Minimum Revolution (r.p.m) | 100 |
| Max.Temp. (°C) | - |
| Structure | |
| Exterior | Cast aluminium, Surface spraying / Ceramic Coated |
| Plate Size(mm) | 120x120 |
| Driving Mode | Motor |
| Motor Power (W) | 10 |
| Heating Power(kW) | - |
| Stir Bar | PTFE |
| Controller | |
| Continuous Operation | Yes |
| Setting Mode | Scale |
| Speed Display Mode | Scale |
| Timer | No |
| Operation Function | No |
| Temp. Sensor | No |
| Specification | |
| Exterior Size (W*L*H)(mm) | 200x120x90 |
| Packing Size (W*L*H)(mm) | 250x180x120 |
| Plate Size (mm) | 120x120 |
| Plate Load | 3KG |
| Power Supply (50/60Hz) | 110V or 220V |
| Current Rating | 110V or 220V |
| NW/GW (kg) | 1.9/3 |
| Alt Name | Magnetic Stirrer |



APPLICATIONS

Magnetic mixing equipment with heating.



Biolab Scientific Ltd.

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada
Email: info@biolabscientific.com | Website: www.biolabscientific.com