



MAGNETIC STIRRER BER-3907

MAGNETIC STIRRER BER-3907

MAGNETIC STIRRER



1. Heating power and stirring speed is stepless adjustable.
2. With an adjustable thermometer rack, stainless steel rods and the stir bar.
3. SH-(C) series: Ceramic Plate

SPECIFICATIONS

Model	BER-3907
Function	
--Max. Volume (ml)	-
Speed (r.p.m)	-
Working Time	Continuous
Minimum Revolution (r.p.m)	-
Max.Temp. (°C)	380
Structure	
Exterior	Cast aluminium, Surface spraying / Ceramic Coated
Plate Size(mm)	120x120
Driving Mode	-
Motor Power (W)	-
Heating Power(kW)	0.18
Stir Bar	-
Controller	
Continuous Operation	Yes
Setting Mode	Scale
Speed Display Mode	-
Timer	No
Operation Function	No
Temp. Sensor	No
Specification	
Exterior Size (W*L*H)(mm)	200x120x90
Packing Size (W*L*H)(mm)	250x180x120
Plate Size (mm)	120x120
Plate Load	3KG
Power Supply (50/60Hz)	110V or 220V
Current Rating	110V or 220V
NW/GW (kg)	1.9/3
Alt Name	Magnetic Stirrer



APPLICATIONS

Magnetic mixing equipment with heating.



Biolab Scientific Ltd.

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada
Email: info@biolabscientific.com | Website: www.biolabscientific.com