



CLASS II BIOSAFETY CABINET BER1BM2

CLASS II BIOSAFETY CABINET BER1BM2

CLASS II A2 BIOSAFETY CABINET



1. Color 7.0 inch touch screen controller
2. Standard with high precision thermal wind sensor
3. With reservation timing sterilization function, three-level authority management function, high efficiency filter, sterilization lamp service life display, built-in socket instrument controllable switch function, front window status display function, can set three position interlock function, cumulative work timing function.
4. Optional: ULPA Filter

SPECIFICATIONS

Model	BER1BM2
Classification	A2: 30% efflux, 70% internal circulation
Function	
Cleanliness	Class 100
Collection Efficiency	0.3um particle ≥99.995%
Colony count	≤0.5/vessel (petri dish is Φ90mm)
Noise Level	≤67db
Vibration Semi-peak Value	≤5um
Downflow Velocity	0.33 ± 0.025m/s
Inflow Velocity	0.53 ± 0.025m/s
Lumination	Average luminance ≥650lx, the measured value of each illuminance ≥430lx
Total air exhaust of system	363m³/h
Composition	
Work surface	SUS304 Stainless steel plate
Outer Shell	Cold rolling steel electrostatic spraying exterior
Operation Door	Tempered Glass
HEPA filter (mm)	520*420*69 / 980*495*69
Fluorescent Lamp Power	8W*2 (LED)
UV Light Power	15W*1
Fan	734W one piece
Rated Power	1600W
Working height of front window	Working height of front window
Maximum height of front window	440mm
Controller	
Display	Full color 7.0-inch touch screen
Additional Function	Reservation timing sterilization function, three-level authority management function, high efficiency filter, sterilization lamp service life display, built-in socket controller to control switch function, front window status display function, three position interlock function, cumulative work timing function
Specification	
Operating Area Size (W*L*Hmm)	950*625*628

Exterior Size (W*L*Hmm)	1100*795*2250
Packing Size (W*L*Hmm)	1230*925*1655
Max Power of Universal Socket	Single socket: 800W
NW/GW kg	294/354
Alt Name	CLASS II A2 Biosafety Cabinet



APPLICATIONS

Table type clean equipment.



Biolab Scientific Ltd.

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada

Email: info@biolabscientific.com | Website: www.biolabscientific.com