



BENCHTOP SHAKING INCUBATOR BEV1U1 (BSBT-301)

BENCHTOP SHAKING INCUBATOR BEV1U1

BENCHTOP SHAKING INCUBATOR

The bench top shaking incubator has a compact design that saves your precious lab space. Stainless steel interiors with exceptional durability and trouble-free cleaning require less maintenance. A large transparent lid provides easy observation. The microprocessor controller permits easy operation. A variety of platforms and other lab accessories allows configuration to meet your demands.



The electronic control of closed cycle adjustable heating system
Stainless steel interior and Electrostatic sprayed exterior
Call to restore function, without power supply
With strong influence of intermittent rapid heating system of 200 type and 100B type with air pressure regulating valve
Flexible and convenient, wide variety of detachable accessories

SPECIFICATIONS

Model	BEV1U1
Old Model	BSBT-301
Internal dimension/capacity (HxWxD) mm/liter	500 mlx3 or 250 mlx3 or 100 mlx4 or 50 mlx4 (Optional 500 mlx9 or 250 mlx12 or 100 mlx18)
Voltage(V)	220
Temp. Range °C	RT+5~50
Oscillation frequency Rpm	20~300
Amplitude mm	24
Floating Range °C	±0.1
Alt Name	Benchtop Shaking Incubator

APPLICATIONS

Cell Cultures, Cell Aeration, Microbiology, Increasing Solubility Rates, Metabolism Studies, Bacterial Cultures, Bacteriology

MORE INFO

Speed can be set as 60-400 rpm



Biolab Scientific Ltd.

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada

Email: info@biolabscientific.com | Website: www.biolabscientific.com