



SINGLE BEAM UV VISIBLE SPECTROPHOTOMETER BEY-401

SINGLE BEAM UV VISIBLE SPECTROPHOTOMETER BEY-401

UV VISIBLE SPECTROPHOTOMETER



Large LCD display, all data and graphs can be shown directly and clearly.

- Rigid Structure, 8mm-thick Optical Base

All optical components are fixed on an 8mm thick rigid die-cast aluminum board to promise higher stability and reliability.

- Advanced Stand-alone System with Multi Functions

Spectrum scanning, Standard curve, Kinetics, Multi wavelength, DNA/Protein test can be operated

directly on device and all corresponding curves and data can be displayed directly.

- Easy Data Output by USB/Parallel Port

USB Port: Connect to computer and operate through PC software. (PC software is

SPECIFICATIONS

Model	BEY-401
Wavelength Range	190-1100 nm
Bandwidth	1.8 nm
Wavelength Accuracy	±0.5 nm
Wavelength Repeatability	≤0.2 nm
Photometric Accuracy	±0.3%T (0-100%T)
Photometric Repeatability	≤0.1%T
Photometric Range	-0.3-3A, 0-200%T, 0-9999C
Stability	≤0.001A/30 min at 500 nm
Stray Light	≤0.05%T at 220 nm & 360 nm
Output	USB port & Parallel Port
Display	320*240 Dots LCD
Light Source	W Lamp & D2 Lamp
Detector	Silicon Photodiode
Power Requirements	AC110/220V, 50/60Hz
Alt Name	UV Visible Spectrophotometer

ITEMS INCLUDED

No	Name	Quantity	Unit
1	1cm Glass cuvette	4	pcs
2	1cm Quartz cuvette	2	pcs
3	Power cord	1	pcs
4	User's manual	1	pcs
5	Dust cover	1	pcs

FEATURES

Large LCD display, all data and graphs can be shown directly and clearly.

- Rigid Structure, 8mm-thick Optical Base

All optical components are fixed on an 8mm thick rigid die-cast aluminum board to promise higher stability and reliability.

- Advanced Stand-alone System with Multi Functions

Spectrum scanning, Standard curve, Kinetics, Multi wavelength, DNA/Protein test can be operated directly on device and all corresponding curves and data can be displayed directly.

- Easy Data Output by USB/Parallel Port

USB Port: Connect to computer and operate through PC software. (PC software is optional.)

Parallel Port: Connect to micro thermal printer to print test data. (Micro thermo printer is optional.)



Biolab Scientific Ltd.

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada

Email: info@biolabscientific.com | Website: www.biolabscientific.com