





DRY BATH INCUBATOR BFA1BS1 (BDIB-114)





DRY BATH INCUBATOR BFA1BS1

DRY BATH INCUBATOR

It is a dry bath incubator for economic choice. It's appreciated by lovely appearance, excellent performance and attractive price. Its good temperature accuracy makes this dry bath incubator extensive used for sample incubation, conservation and reaction in medicine, chemical, food safety, quality testing and environmental industries, etc.



Fast heating speed, accurate temperature heating, precise temperature control and stable .

Built-in temperature deviation calibration function, automatic fault detection, and beep alarm function.

Built-in over-temperature protection device, safe and reliable to extend equipment life

Compact structure designed, small space occupied. Transparent cover to reduce error.

Serious of round heating blocks for choosing. Easy exchange and clean for different types of tubes.

Can be set to continuous operation.

SPECIFICATIONS

Model	BFA1BS1
Old Model	BDIB-114
Temp. Control Range	R.T.+5°C~100°C
Temp. Setting Range	5°C~100°C
Temp. Stability@37°C	±0.3°C
Block Temp. Uniformity	±0.5°C
Temp. Display Accuracy	0.1°C
Heating Speed	≤15min (20°C to 100°C)
Time Range	1min~9999min
Voltage	AC 220V/AC 110V, 50/60Hz
Power	150W
Fuse	250V, 1A/2A, Φ5x20
Dimension	W.156 x D.176 x H.121mm
Net Weight	1.5kgs
Alt Name	Dry Bath Incubator

ACCESSORIES FOR PURCHASE

No	Spec	Dia. of hole	Name	Block dimension
1	0.2 ml x 96	6.1 mm	Cone bottom	Ф104.5 x 32 mm
2	0.5 ml x 59	8 mm	Cone bottom	Φ104.5 x 32 mm
3	1.5 ml x 39	10.8 mm	Cone bottom	Ф104.5 x 32 mm
4	2.0 ml x 39	10.8 mm	Round bottom	Ф104.5 x 32 mm
5	5.0 ml x 18	13.5 mm	Round bottom	Ф104.5 x 32 mm
6	0.5 ml x 24 + 1.5 ml x 30	8 mm / 10.8 mm	Cone bottom	Ф104.5 x 32 mm
7	6 mm x 59	6.5 mm	Round bottom	Ф104.5 x 32 mm
8	Customized	Customized	Customized	Ф104.5 x 32 mm



















Biolab Scientific Ltd.