






LABORATORY BENCHTOP FREEZE DRYER BFB1B2 (BFBT-101-B)





LABORATORY BENCHTOP FREEZE DRYER BFB1B2

FREEZE DRYER

Simple and economical means of freeze drying for stabilization of living material and preservation of fragile substances. Equipped with vacuum freeze drying technology and customizable tray spacing, this is the right product for your small scale freeze drying requirements.



Condenser, control panel, shelves and trays are made of stainless steel Low noise compressor with a long shelf life
The drying chamber is equipped with organic glass for safety and visibility
Condenser features pre-freezing function
Features vacuum freeze drying technology
Drying curves are displayed on LCD screen
Tray spacing can be customized
Eco-friendly CFC free refrigeration system
Features nitrogen valve and eutectic test device (optional)

SPECIFICATIONS

Model	BFB1B2		
Old Model	BFBT-101-B		
Capacity	1.2 L		
Condenser Temperature	-80°C		
Water Holding Capacity	3-4 /24h		
Freeze Drying Surface Area	0.12 m²		
Pre Freeze Shelf Dimension	φ 200 mm		
Vacuum Degree	< 10 Pa		
Pump Flow Rate	2 L/sec		
Overall Dimension (mm)	830 x 680 x (400 + 430)		
Shelves	4		
Weight	100 kg		
Power	970		
Power Supply	110-220V, 50/60Hz		
Alt Name	Standard Type		

ACCESSORIES FOR PURCHASE

No	Name	Description	Trays	Temperature
1	Nitrogen inflation valve			
2	Exhaust filter/ Oil mist filter for pump			
3	Air inlet filter for pump			
4	Anti oil return valve for pump			
5	Electricity heating defrosting			
6	Electric heating shelf			
7	Trays	Trays: dia. 180mm / dia. 200mm	Diameter 180mm / 200mm	

8	3		Check and keep freeze drying data on computer; control freeze dryer through PC	
2)	-80°C Condenser	Minimum condenser temperature as -80°C	Min. condenser temperature as -80°C

APPLICATIONS

Laboratory, Research, Proteins, Organic Tissues, Waste Products, Plant Material, Polymers, Pharmaceuticals, Nutraceuticals, Plant material.



Biolab Scientific Ltd.