



MEDICAL AUTOCLAVE BFG-1001

MEDICAL AUTOCLAVE BFG-1001

AUTOCLAVE



A. Big Capacity:

The chamber is designed specially of rectangle shape.

1 IMPLANT CASE

2 TRAYS

2 trays or 1 implant case can be accommodated

B. Fast

Top performance of complete Class B sterilization Cycle with drying is 13 minutes.(datas from our lab)

C. Compact

Completely in line with European standard and national standard.

Double data output: Printer + SD Memory.

Water quality test incl.

SPECIFICATIONS

Model	BFG-1001
Power supply	230V±23V, 50Hz, 2900VA
Rack & trays	Standard 2 trays
External dim. WxHxD	287 x 248 x 595 mm
Chamber dim. WxHxD	175 x 55 x 280 mm
N.Weight/G.Weight	20kgs / 24kgs
Cleanwater tank	1.0 Lit
Waste tank	without
Alt Name	3Lit Mini Sterilizer

FEATURES

A. Big Capacity:

The chamber is designed specially of rectangle shape.



1 IMPLANT CASE




2 TRAYS



2 trays or 1 implant case can be accommodated

B. Fast

Top performance of complete Class B sterilization Cycle with drying is 13 minutes.(datas from our lab)



C. Compact




Completely in line with European standard and national standard.



Double data output: Printer + SD Memory.



Water quality test incl.



Mechanical and electronic locker system.



Side-opening door.

MORE INFO

Cycles	Sterilization temperature (°C)	Holding time(min)	Pre-vacuum times	Drying Time(min)	Remarks
--------	--------------------------------	-------------------	------------------	------------------	---------

134°C Universal Quick	134	4	3	4	Preset
134°C Universal	134	4	3	6	Preset
134°C Solid	134	4	1	2	Preset
121°C Universal	121	4	3	8	Preset
B-D/Helix test	134	3.5	3	4	Test program
Vacuum test	Vacuum to -80kPa, holding 15min				Test program
Drying				5	Preset drying



Biolab Scientific Ltd.

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada

Email: info@biolabscientific.com | Website: www.biolabscientific.com