



BLOOD BANK REFRIGERATED CENTRIFUGE BFH1J1 (BBRC-205)

BLOOD BANK REFRIGERATED CENTRIFUGE BFH1J1

BLOOD BANK REFRIGERATED CENTRIFUGE



1. Brushless DC frequency motor with simpler construction, more reliable performance, longer life and quietly running
2. Flexible axle driven system which drive the rotor directly, smooth in operation, low noise.
3. Imported compressors, fluorine-free, double cycle cooling, cold and hot alternating easily, environment pollution-free and precise in temperature control.
4. Microprocessor control, digital display in the speed, time, RCF in operation, speed rising and reducing quick, operate simply.
5. 10 kinds of program stored in the memory, 10 kinds of accelerating and decelerating.
6. Automatically electric lid lock, super speed, over temperature protection and imbalance protection. The centrifuge body is made of high quality steel, safe and

SPECIFICATIONS

| | |
|----------------------|------------------------------------|
| Model | BFH1J1 |
| Old Model | BBRC-205 |
| Max speed | 7000rpm |
| Max volume | 6x2400ml(12 bags) |
| Timer | 1~9h59min |
| Dimension(HxDxW) | 940x890x1000mm |
| Speed accuracy | ±20rpm |
| Temperature accuracy | ±1° C |
| Max RCF | 11900xg |
| Noise | ≤60dBA |
| Net weight | 560KG |
| Power supply | AC 380V 50HZ 35A |
| Temperature range | -20~40° C |
| Package | wooden box |
| Alt Name | Blood Bank Refrigerated Centrifuge |

ITEMS INCLUDED

| No | Name | Max Speed (rpm) | Max Volume (ml) | Max RCF (g) |
|----|-------------|-----------------|-------------------|-------------|
| 1 | Swing Rotor | 4000 | 6x2400ml(12 bags) | 5530 |



1

FEATURES

1. Brushless DC frequency motor with simpler construction, more reliable performance, longer life and quietly running
2. Flexible axle driven system which drive the rotor directly, smooth in operation, low noise.
3. Imported compressors, fluorine-free, double cycle cooling, cold and hot alternating easily, environment pollution-free and precise in temperature control.
4. Microprocessor control, digital display in the speed, time, RCF in operation, speed rising and reducing quick, operate simply.

5.10 kinds of program stored in the memory, 10 kinds of accelerating and decelerating.

6. Automatically electric lid lock, super speed, over temperature protection and imbalance protection. The centrifuge body is made of high quality steel, safe and reliable.

7. Three layer protection of steel structure, safe and reliable.



Biolab Scientific Ltd.

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada

Email: info@biolabscientific.com | Website: www.biolabscientific.com