



LABORATORY HIGH SPEED REFRIGERATED CENTRIFUGE BFH1N1 (BCFHR-201)

LABORATORY HIGH SPEED REFRIGERATED CENTRIFUGE

BFH1N1

FLOOR TYPE HIGH SPEED REFRIGERATED CENTRIFUGE



- 1.Brushless DC frequency motor with simpler construction,more reliable performance,longer life and quietly running
2. Flexible axle driven system which drive the rotor directly, smooth in operation, low noise and small vibration.
- 3.Imported compressors,fluorine-free, double cycle cooling, cold and hot alternating easily, environment pollution-free and precise in temperature control.
4. There are 10 kinds of rotors for your choice, especially the continuous rotors which help you purify a large number of test solution continuously.
5. Microprocessor control speed, temperature and time, digital display, 10 kinds of accelerating and decelerating speed for your choice.
6. Automatically electric lid lock, super speed, over temperature protection and imbalance protection.

SPECIFICATIONS

Model	BFH1N1
Old Model	BCFHR-201
Max speed	12000 rpm
Max volume	6x500ml
Timer	1~9h59min
Dimension(HxDxW)	780x675x750mm
Speed accuracy	±20rpm
Temperature range	-20~40°C
Max RCF	22650xg
Noise	≤60dBA
Net weight	190KG
Power supply	AC 220V 50HZ 20A
Package	Wooden box
Temperature accuracy	±1°C
Alt Name	Floor Type High Speed Refrigerated Centrifuge

ACCESSORIES FOR PURCHASE

No	Name	Max Speed (rpm)	Max Volume (ml)	Max RCF (xg)
1	Angle Rotor	8000	6x500ml	11740
2	Angle Rotor	12000	6x300ml	22650



FEATURES

- 1.Brushless DC frequency motor with simpler construction,more reliable performance,longer life and quietly running
2. Flexible axle driven system which drive the rotor directly, smooth in operation, low noise and small vibration.
- 3.Imported compressors,fluorine-free, double cycle cooling, cold and hot alternating easily, environment pollution-free and precise in temperature control.
4. There are 10 kinds of rotors for your choice, especially the continuous rotors which help you purify a large number of test solution continuously.
5. Microprocessor control speed, temperature and time, digital display, 10 kinds of accelerating and decelerating speed for your choice.
6. Automatically electric lid lock, super speed, over temperature protection and imbalance protection.
7. 3 layers protection of steel structure, safe and reliable.
8. It is consistent with CE security certification and ISO9001 quality certification.



Biolab Scientific Ltd.

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada
Email: info@biolabscientific.com | Website: www.biolabscientific.com