





# MICRO CENTRIFUGE BFH1W1 (BCBHR-303)





### MICRO CENTRIFUGE BFH1W1

REFRIGERATED MICRO CENTRIFUGE



- 1.Brushless frequency motor, stable, quietly running, long life, unnecessary to maintain, quick in speed up and down.
- 2.Imported compressors,fluorine-free, double cycle cooling, cold and hot alternating easily, environment pollution-free and precise in temperature control.
- 3. Microprocessor control, LCD display in all parameters running.
- 4.Automatically electric lid lock, super speed, over temperature protection and imbalance protection. The centrifuge body is made of high quality steel, safe and reliable.
- 5. There are several kinds of rotors for your choice, adapters can be designed by experimental requirements.
- 6.3 layers protection of steel structure and get the ideal centrifugation result.

#### **SPECIFICATIONS**

Model	BFH1W1	
Old Model	BCBHR-303	
Max speed	16000rpm	
Max volume	24x1.5ml/2ml	
Timer	1-9h59min	
Dimension(HxDxW)	508x450x270mm	
Speed accuracy	±20rpm	
Temperature range	-20~40°C	
Max RCF	19040xg	
Noise	≤55dBA	
Net weight	43KG	
Power supply	AC 220V 50HZ 5A	
Package	Wooden box	
Temperature accuracy	±1°C	
Alt Name	Refrigerated Micro Centrifuge	

#### **ACCESSORIES FOR PURCHASE**

No	Name	Max speed(rpm)	Max capacity(ml)	Max RCF(xg)
1	Angle rotor	16000	40*0.2ml	19040
2	Angle rotor	16000	24*0.5ml	18480
3	Angle rotor	16000	12*1.5/2ml	16260
4	Angle rotor	16000	10*5ml	17880
5	Angle rotor	14000	24*1.5/2ml	17950



## Biolab Scientific Ltd.

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada Email: info@biolabscientific.com | Website: www.biolabscientific.com