



TUBE ROLLER / ROTATOR BFL1N1

TUBE ROLLER / ROTATOR BFL1N1

STANDARD TUBE ROLLER



Adjustable speed range from 0 to 70 rpm
Six roller design for gentle and efficient rolling, and is easy to clean

SPECIFICATIONS

Model	BFL1N1
Amplitude	24mm
Motor type	Brushless DC motor
Rocking motion	Rocking and rolling
Max. load capacity	4kg
Number of rollers	6
Roller size [length]	280mm
Speed range	0-70rpm
Speed display	Scale
Timer	-
Timer display	-
Time setting range	-
Operation mode	Continuous
Voltage, Frequency	100-240V, 50/60Hz
Power	25W
Dimension [DxWxH]	485 x 250 x 100mm
Weight	4.5kg
Permissible ambient temperature and humidity	5-40°C, 80%RH
Protection class	IP21
Alt Name	Standard tube roller

APPLICATIONS

Laboratory tube rollers provide a gentle and highly efficient rolling motion, ideal for mixing blood samples, viscous substances and liquid-solid suspensions.

Used in a variety of applications, such as the prevention of blood coagulation, immune precipitation, etc.



Biolab Scientific Ltd.

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada
Email: info@biolabscientific.com | Website: www.biolabscientific.com