



## WALK IN FUME HOOD BFSD-801

# WALK IN FUME HOOD BFSD-801

## WALK-IN FUME HOOD



1. With memory function in case of power-failure.
  2. Operators are available to walk into the fume hood to operate if need.
  3. Large room exhaust system, suitable for large laboratory instruments and equipment.
- Water Sink  
Water & Gas Remote, Control Valve  
Water & Gas Tap  
Application  
Application

## SPECIFICATIONS

Model	BFSD-801
External Size (W*D*H)	1200*800*2250mm
Internal Size (W*D*H)	980*550*1670mm
Max Opening	1300mm
Exhaust Airflow Volume	1150m <sup>3</sup> h
Inflow Air Velocity	0.3~0.8m/s.
Noise	≤62dB
Vibration	Amplitude≤5μm
Illumination	≥800Lux
LED Lamp	12W*2
Power Supply	AC220V±10%, 50/60Hz; 110V±10%, 60Hz
Consumption	400W
Front Window	Manual, 55mm toughened glass,height adjustable
Material Exterior	1.0mm cold-rolled steel with bacteria powder coating.
Material Interior	Compact laminate board with good acid and alkali resistance function
Standard Accessory	External blower , LED lamp, Water tap, Gas tap, PP cup sink, Remote control water valve, Remote control gas valve, Waterproof sockets*4, 4.3 meters Φ300mm PVC exhaust duct
Sockets	Total load of 4 waterproof sockets: ≤500W
Package Size (W*D*H) Main Body	1400*1050*2450mm
Package Size (W*D*H) Exhaust Blower	970*810*720mm
Gross Wight	300KG
Alt Name	Walk-in Fume Hood

## FEATURES

1. With memory function in case of power-failure.
2. Operators are available to walk into the fume hood to operate if need.
3. Large room exhaust system, suitable for large laboratory instruments and equipment.

Water Sink



Water & Gas Remote, Control Valve



Water & Gas Tap



Application



Application



**Biolab Scientific Ltd.**

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada  
Email: [info@biolabscientific.com](mailto:info@biolabscientific.com) | Website: [www.biolabscientific.com](http://www.biolabscientific.com)